



www.hova.ma

+212 7 09 92 86 00

Hello@hova.ma

★ Libérez le potentiel de votre hôtel avec HOVA ★


PMS & Digitalisation

Channels manager




★ Valorisation des Hôtels

Équipements



✓ Sécurité & Confort



Le PMS de nouvelle génération pour hôtels.

PMS, Channel Manager
Augmentez vos revenus.

utilisant

Sans être expert, en quelques minutes.

Logos: agoda, Trip.com, H, B, Airbnb





HV 17



HV 240



HV 700



HV 310



HV 600



HV 90



HV 14



HV X8



HV 900



HV 10



HV 09



HV 500



HV 3



HV 7



HV 9



HV 100



Wd-101



Wd-600



Wd-450



HV-40



Wd-514



Hv-210

Système MDN



www.hova.mn



Tourniquet
SBT2000s



Tourniquet
MTS1000 Series



Tourniquet Pro-S1000



BG1060 Parking
Barrier



Tourniquet HV-1000



Portique Détecteur
de métaux 16 zones



Détecteur de
métaux portatif



Détecteur de
fumée



Lecteur biométrique L16



MB360 ZKTec



SpeedFace-V5L



SpeedFace-V5L



Red Classic Chair



Red Single Sofa



Ferme-porte



SpeedFace-V5L



VARIATEUR DE LUMIÈRE



Climatisation intelligente



Caméra de surveillance



coffre-fort intelligent



INT-300



INT-150



INT-750



INT-800



Rideaux intelligents




HV 17



Model: 516-RF
Size: 295*72MM
Material: Aluminum Alloy
Optional Colors: Black, Grey, Gold
Default Lock Body: 2#DS Lock Body

■ SIZE (MM)



PARAMETER

Unlock Method	Proximity card , Key	Card Capacity	~255 Pcs
Induction Time	<1S / Less than 1 second	Card Distance	<3CM / Less than 3 CM
Card Frequency	125KHZ(T5557)/ 125 Khz (D801-57)	Card Frequency	13.56MHZ(M1) / 13.56 Mhz (D801-M1)
Battery	4 pcs AA Alkaline Batteries	Working Voltage	6V
Low-voltage Alarm	<4.8V / Support (Less than 4.8 V)	Dynamic Current	<120mA / 120 mA
Quiescent Current	<20μ A / Less than 20μ A	Applicable Door	38-70 MM (Can Customized)
Ambient Temperature	-20℃ ~60℃		
Card Type	Temic T557 /Mifare 1 Temic (D801*57) / Mifare 1 (D801*M1)		




HV 240



Model: A16-RF/A16-CM
 Size: 320*70*20MM
 Material: Aluminum Alloy
 Optional Colors: Silver, Black, Gold, Red bronze
 Default Lock Body: 2#DS Lock Body

■ SIZE (MM)



PARAMETER

Unlock Method	Proximity card , Key	Card Capacity	~255 Pcs
Inducops Time	<1S / Less than 1 second	Card Distance	<3CM / Less than 3 CM
Card Frequency	125KHZ(T5557)/ 125 Khz (D801-57)	Card Frequency	13.56MHZ(M1) / 13.56 Mhz (D801-M1)
Battery	4 pcs AA Alkaline Batteries	Working Voltage	6V
Low-voltage Alarm	<4.8V / Support (Less than 4.8 V)	Dynamic Current	<120mA / 120 mA
Quiescent Current	<20 μ A / Less than 20 μ A	Applicable Door	38-70 MM (Can Customized)
Ambient Temperature	-20℃ ~60℃		
Card Type	Temic T557 / Mifare 1 Temic (D801*57) / Mifare 1 (D801*M1)		



HV 700



Model: D30-ZM

Size : 400*72MM

Material : Stainless steel

Optional Colors : Red bronze, Gold, Bronze

Optional Lock Body : Standard/Cylinder/Overload Lock Body



Fingerprint unlock



Password unlock



Key unlock



Card unlock



APP Management

Technical Parameter

Model: D30ZM

Product Size: 400*72MM

Material: Stainless steel

Technology: Stainless Steel Wire Drawing

Unlock Methods: Fingerprint/Code/Card/Key

Fingerprint Acquisition: FPC Semiconductor

Password Length: 6-12 digit

Card Type: Mifare1

Door Type: Wooden Door/Security Door

Lock Body: Standard lock body 240*24MM


Function: Full voice / Support Chinese English Switching

Network : TTLOCK

Grade: C-Class Cylinder



■ SIZE (MM)



Outdoor

HV 310




Model: F5-RF
Size: 155*68MM
Material: Zinc Alloy
Optional Colors: Black, Silver, Gold, Red bronze

PARAMETER

Unlock Method	Proximity card, Key	Card Capacity	~255 Pcs
Induction Time	<1S / Less than 1 second	Card Distance	<3CM / Less than 3 CM
Card Frequency	125KHZ(T5557) / 125 KHz (D801-57)	Card Frequency	13.56MHZ(M1) / 13.56 Mhz (D801-M1)
Battery	4 pcs AA Alkaline Batteries	Working Voltage	6V
Low-voltage Alarm	<4.8V / Support (Less than 4.8 V)	Dynamic Current	<120mA / 120 mA
Quiescent Current	<20μa / Less than 20 μA	Applicable Door	38-70 MM (Can Customized)
Ambient Temperature	-20°C ~60°C		
Card Type	Temic T557 /Mifare 1 Temic (D801*57) / Mifare 1 (D801*M1)		



■ SIZE (MM)



Indoor

Outdoor

HV 600



Model:	A6-RF/A16-CM
Size:	300*75MM
Material:	Aluminum Alloy
Optional Colors:	Black, Silver, Gold
Default Lock Body:	2#DS Lock Body

PARAMETER

Size	300*75MM	Card Capacity	~255 Pcs
Unlock Method	Proximity card , Key	Card Distance	<3CM / Less than 3 CM
Induction Time	<1S / Less than 1 second	Card Frequency	13.56MHZ(M1)/ 13.56 Mhz (D801-M1)
Card Frequency	125KHZ(T5557) / 125 Khz (D801-57)	Working Voltage	6V
Battery	4 pcs AA Alkaline Batteries	Dynamic Current	<120mA/120 mA
Low-voltage Alarm	<4.8V / Support (Less than 4.8 V)	Applicable Door Thickness	38-70MM (Can Customized)
Quiescent Current	<20μ A / Less than 20 μ A		
Ambient Temperature	-20℃ ~60℃		
Card Type	Temic T557 /Mifare 1 Temic (D801*57) / Mifare 1 (D801*M1)		



HV 90



Model: A12-RF/A12-CM


Size: 300*75MM

Material: Zinc Alloy

Optional Colors: Coffee, Gold, Silver, Black

Default Lock Body: 2#DS Lock Body

■ SIZE (MM)



PARAMETER

Unlock Method	Proximity card, Key	Card Capacity	~255 Pcs
Induction Time	<1S/ Less than 1 second	Card Distance	<3CM / Less than 3 CM
Card Frequency	125KHZ(T5557) / 125 Khz (D801-57)	Card Frequency	13.56MHZ(M1) / 13.56 Mhz (D801-M1)
Battery	4 pcs AA Alkaline Batteries	Working Voltage	6V
Low-voltage Alarm	<4.8V / Support (Less than 4.8 V)	Dynamic Current	<12mA / 120 mA
Quiescent Current	<20μA / Less than 20 μA	Applicable Door Thickness	38-70 MM (Can Customized)
Ambient Temperature	-20°C ~60°C		
Card Type	Temic T557 / Mifare 1 / 公寓 ID 版 Temic (D801*57) / Mifare 1 (D801*M1)		



HV14




Model: D26-RF/D26-CM

Material: Stainless Steel

Optional Colors: Silver, Gold, Black, Coffee, Blue Grey

Default Lock Body: 2#DS Lock Body

■ SIZE (MM)



PARAMETER

Size	345x71x11mm	Card Capacity	~255 Pcs
Unlock Method	Proximity card, Key	Card Distance	<3CM / Less than 3 CM
Induction Time	<1S / Less than 1 second	Card Frequency	13.56MHZ(M1)/ 13.56 Mhz (D801-M1)
Card Frequency	125KHZ(T5557) / 125 KHz (D801-57)	Working Voltage	6V
Battery	4 pcs AA Alkaline Batteries	Dynamic Current	<120mA/120 mA
Low-voltage Alarm	<4.8V / Support (Less than 4.8 V)	Applicable Door Thickness	38-70MM (Can Customized)
Quiescent Current	<20μA / Less than 20 μA		
Ambient Temperature	-20°C ~60°C		
Card Type	Temic T557 /Mifare 1 Temic (D801*57) / Mifare 1 (D801*M1)		



HV X8



Model: D8-ZM
Size: 360*75MM
Material: Aluminum Alloy
Optional Colors: Black
Optional Lock Body: Standard/Cylinder/Overload Lock Body



Technical Parameter

Model: D8-ZM
Product Size: 360*75MM
Material: Aluminium Alloy
Technology: Baking paintUV+IMD
Unlock Methods: Fingerprint/Code/Card/Key
Fingerprint Acquisition: FPC Semiconductor
Password Length: 6-12 digit
Card Type: Mifare1
Door Type: Wooden Door/Security Door
Lock Body: Standardlock body 240*24MM
Function: Full voice / Support Chinese English Switching
Network: WIFI/Bluetooth
Grade: C-Class Cylinder



HV 900




Model: 2028-RF/2028-CM/2028-ZM

Material: Aluminum Alloy

Optional Colors: Silver, Black

Default Lock Body: Wooden Door Lock Body

■ SIZE (MM)




PARAMETER

Unlock Method	Proximity card, Key	Card Capacity	~255 Pcs
Induction Time	<1S / Less than 1 second	Card Distance	<3CM / Less than 3 CM
Card Frequency	125KHZ(T5557) / 125 Khz (D801-57)	Card Frequency	13.56MHZ(M1) / 13.56 Mhz (D801-M1)
Battery	4 pcs AA Alkaline Batteries	Working Voltage	6V
Low-voltage Alarm	<4.8V / Support (Less than 4.8 V)	Dynamic Current	<120mA / 120 mA
Quiescent Current	<20 μa / Less than 20 μA	Applicable Door	38-70 MM (Can Customized)
Ambient Temperature	-20°C ~60°C		
Card Type	Temic T557 /Mifare 1 Temic (D801*57) / Mifare 1 (D801*M1)		



■ SIZE (MM)



HV 10



Model: B-RF/5188-CM/5188-ZM

Optional Colors: Black, Silver, Gold, Red bronze


Default Lock Body: 2#DS Lock Body

PARAMETER

Model	B-RF Upgrade	Card Induction Method	Non-contact Induction
Unlock Method	Card, Key	Card Capacity	~255 Pcs
Induction Time	<1S / Less than 1 second	Card Distance	<3CM / Less than 3 CM
Card Frequency	125KHZ(T5557) / 125 KHz (D801-57)	Card Frequency	13.56m(M1)/ 13.56 Mhz (D801-M1)
Battery	4 pcs AA Alkaline Batteries	Working Voltage	6V / 6V
Low-voltage Alarm	<4.8V / Support (Less than 4.8 V)	Dynamic Current	120 mA / 120 mA
Quiescent Current	<20μA/Less than 20 μA	Applicable Door Thickness	38-70MM (Can Customized)
Ambient Temperature	-20°C ~60°C / -20°C ~60°C		
Card Type	Temic (D801*57) / Mifare (D801*M1)		



■ SIZE (MM)



Indoor

Outdoor

HV 09



Model: 152-RF/152-CM

Size: 300*75MM

Material: Outer stainless Steel 304+Inner steel plate

Optional Colors: Silver, Black, Red bronze, Gold

Default Lock Body: 2#DS Lock Body

PARAMETER

Size	300*75MM	Card Capacity	~255 Pcs
Unlock Method	Proximity card , Key	Card Distance	<3CM / Less than 3 CM
Induction Time	<1S / Less than 1 second	Card Frequency	13.56MHZ(M1)/ 13.56 Mhz (D801-M1)
Card Frequency	125KHZ(T5557) / 125 Khz (D801-57)	Working Voltage	6V
Battery	4 pcs AA Alkaline Batteries	Dynamic Current	<120mA/120 mA
Low-voltage Alarm	<4.8V / Support (Less than 4.8 V)	Applicable Door Thickness	38-70MM (Can Customized)
Quiescent Current	<20μ A / Less than 20 μ A		
Ambient Temperature	-20℃ ~60℃		
Card Type	Temic T557 /Mifare 1 Temic (D801*57) / Mifare 1 (D801*M1)		




HV 500



Model: 518-RF
 Size: 300*75MM
 Material: Zinc Alloy
 Optional Colors: Silver, Gold, Gun gray, Red bronze
 Default Lock Body: Z#DS Lock Body

■ SIZE (MM)



PARAMETER

Unlock Method	Proximity card, Key	Card Capacity	~255 Pcs
Induction Time	<1S / Less than 1 second	Card Distance	<3CM / Less than 3 CM
Card Frequency	125KHZ(T5557)/ 125 Khz (D801-57)	Card Frequency	13.56MHZ(M1) / 13.56 Mhz (D801-M1)
Battery	4 pcs AA Alkaline Batteries	Working Voltage	6V
Low-voltage Alarm	<4.8V / Support (Less than 4.8 V)	Dynamic Current	<120mA / 120 mA
Quiescent Current	<20μ A / Less than 20μ A	Applicable Door	38-70 MM (Can Customized)
Ambient Temperature	-20°C ~60°C		
Card Type	Temic T557 / Mifare 1 Temic (D801*57) / Mifare 1 (D801*M1)		




HV 3



Model: F11A-RF
Size: 138*53MM
Material: Zinc Alloy
Optional Colors: Gold, Silver

■ SIZE (MM)




PARAMETER

Unlock Method	Proximity card, Key	Card Capacity	~255 Pcs
Induction Time	<1S / Less than 1 second	Card Distance	<3CM / Less than 3 CM
Card Frequency	125KHZ(T5557) / 125 Khz (D801-57)	Card Frequency	13.56MHZ(M1) / 13.56 Mhz (D801-M1)
Battery	4 pcs AA Alkaline Batteries	Working Voltage	6V
Low-voltage Alarm	<4.8V / Support (Less than 4.8 V)	Dynamic Current	<120mA / 120 mA
Quiescent Current	<20μa / Less than 20 μA	Applicable Door	38-70 MM (Can Customized)
Ambient Temperature	-20°C ~60°C		
Card Type	Temic T557 / Mifare 1 Temic (D801*57) / Mifare 1 (D801*M1)		



■ SIZE (MM)



HV 7



Model: F12A-RF
Size: 148*53MM
Material: Zinc Alloy
Optional Colors : Black, Silver, Gold

PARAMETER

Unlock Method	Proximity card, Key	Card Capacity	~255 Pcs
Induction Time	<1S / Less than 1 second	Card Distance	<3CM / Less than 3 CM
Card Frequency	125KHZ(T5557) / 125 KHz (D801-57)	Card Frequency	13.56MHZ(M1) / 13.56 Mhz (D801-M1)
Battery	4 pcs AA Alkaline Batteries	Working Voltage	6V
Low-voltage Alarm	<4.8V / Support (Less than 4.8 V)	Dynamic Current	<120mA / 120 mA
Quiescent Current	<20μa / Less than 20 μA	Applicable Door	38-70 MM (Can Customized)
Ambient Temperature	-20℃ ~60℃		
Card Type	Temic T557 /Mifare 1 Temic (D801*57) / Mifare 1 (D801*M1)		




HV 9



Model: F15-RF
Size: 140*46MM
Material: 304Stainless Steel
Optional Colors: Black, Silver, Gold

■ SIZE (MM)



PARAMETER

Unlock Method	Proximity card, Key	Card Capacity	~255 Pcs
Induction Time	<1S / Less than 1 second	Card Distance	<3CM / Less than 3 CM
Card Frequency	125KHZ(T5557) / 125 Khz (D801-57)	Card Frequency	13.56MHZ(M1) / 13.56 Mhz (D801-M1)
Battery	4 pcs AA Alkaline Batteries	Working Voltage	6V
Low-voltage Alarm	<4.8V / Support (Less than 4.8 V)	Dynamic Current	<120mA / 120 mA
Quiescent Current	<20μ a / Less than 20 μ A	Applicable Door	38-70 MM (Can Customized)
Ambient Temperature	-20℃ ~60℃		
Card Type	Temic T557 /Mifare 1 Temic (D801*57) / Mifare 1 (D801*M1)		




HV 100



Model : F20-RF
Size : 160*65MM
Material : Aluminum alloy
Optional Colors : Black, Gold, Silver

■ SIZE (MM)



PARAMETER

Unlock Method	Proximity card , Key	Card Capacity	~255 Pcs
Induction Time	<1S / Less than 1 second	Card Distance	<3CM / Less than 3 CM
Card Frequency	125KHZ(T5557) / 125 KHz (D801-57)	Card Frequency	13.56MHZ(M1) / 13.56 Mhz (D801-M1)
Battery	4 pcs AA Alkaline Batteries	Working Voltage	6V
Low-voltage Alarm	<4.8V / Support (Less than 4.8 V)	Dynamic Current	<120mA / 120 mA
Quiescent Current	<20μ a / Less than 20 μ A	Applicable Door	38-70 MM (Can Customized)
Ambient Temperature	-20℃ ~60℃		

Signalétique LED Intelligente 5 Indications & Sonnerie Wd-101


L'INTELLIGENCE TACTILE AU SERVICE DE L'HÔTELLERIE 4.0

Hova Maroc représente le sommet de la signalétique connectée. Plus qu'un simple numéro de chambre, c'est une interface de communication en temps réel entre le client et l'hôtel. Conçue en verre trempé avec une finition bois ou métal, elle s'intègre dans la transformation digitale des établissements de prestige.



POINTS FORTS

- **Contrôle Intelligent (Guest/Occupé)** : Activation automatique du voyant de présence via le module d'économie d'énergie ou la serrure intelligente.
- **Technologie Tactile Capacitive** : Écran entier tactile avec une durabilité certifiée à plus d'un million de contacts.
- **Écosystème Connecté** : Compatible avec les protocoles de communication pour une intégration fluide.
- **Design Personnalisable** : Finitions premium (Bois, Noir, Or, Argent) et gravure laser de votre logo.
-



Signalétique LED Premium Verre & Bois


Wd-600

SIGNALÉTIQUE LED PREMIUM

L'élégance du bois, l'intelligence du tactile

La gamme Hova Maroc est une solution de signalétique hôtelière exclusive qui fusionne des matériaux nobles et une technologie LED de pointe. Conçue pour les établissements de prestige au Maroc, elle offre une interface intuitive permettant une communication fluide entre vos clients et votre personnel de service.

Chaque panneau est une pièce d'exception, fabriquée sur commande, alliant la profondeur d'un verre trempé noir à la chaleur d'une structure en bois authentique.



Caractéristique	Spécification
Dimensions	350 x 190 x 75 mm
Matériaux	Verre trempé haute résistance & Acrylique
Finition Cadre	Structure imitation bois
Surface	Verre trempé noir profond
Couleurs LED	Blanc, Bleu, Jaune, Rouge, Vert
Alimentation	110 V - 240 V CA
Fonctions Affichées	Logo Hôtel, Numéro de chambre, DND, MUR
Interaction	Sonnerie tactile intégrée
Fabrication	Sur commande (Personnalisable)



Signalétique LED Premium


Wd-450

SIGNALÉTIQUE LED PREMIUM

L'élégance du bois, l'intelligence du tactile

La gamme Hova Maroc est une solution de signalétique hôtelière exclusive qui fusionne des matériaux nobles et une technologie LED de pointe. Conçue pour les établissements de prestige au Maroc, elle offre une interface intuitive permettant une communication fluide entre vos clients et votre personnel de service.

Chaque panneau est une pièce d'exception, fabriquée sur commande, alliant la profondeur d'un verre trempé noir à la chaleur d'une structure en bois authentique.



Caractéristique	Spécification
Dimensions	200 x 120
Matériaux	Verre trempé haute résistance & Acrylique
Finition Cadre	Structure imitation bois
Surface	Verre trempé noir profond
Couleurs LED	Blanc, Bleu, Jaune, Rouge, Vert
Alimentation	110 V - 240 V CA
Fonctions Affichées	Logo Hôtel, Numéro de chambre, DND, MUR
Interaction	Sonnerie tactile intégrée
Fabrication	Sur commande (Personnalisable)



Signalétique LED Premium

Wd-514



SIGNALÉTIQUE LED PREMIUM

L'élégance du bois, l'intelligence du tactile

La gamme Hova Maroc est une solution de signalétique hôtelière exclusive qui fusionne des matériaux nobles et une technologie LED de pointe. Conçue pour les établissements de prestige au Maroc, elle offre une interface intuitive permettant une communication fluide entre vos clients et votre personnel de service.

Chaque panneau est une pièce d'exception, fabriquée sur commande, alliant la profondeur d'un verre trempé noir à la chaleur d'une structure en bois authentique.



Caractéristique	Spécification
Dimensions	260 x 98 mm
Matériaux	Verre trempé haute résistance & Acrylique
Finition Cadre	Structure imitation bois
Surface	Verre trempé noir profond
Couleurs LED	Blanc, Bleu, Jaune, Rouge, Vert
Alimentation	110 V - 240 V CA
Fonctions Affichées	Logo Hôtel, Numéro de chambre, DND, MUR
Interaction	Sonnerie tactile intégrée
Fabrication	Sur commande (Personnalisable)



Signalétique LED Premium

Wd-514




SIGNALÉTIQUE LED PREMIUM

L'élégance du bois, l'intelligence du tactile

La gamme Hova Maroc est une solution de signalétique hôtelière exclusive qui fusionne des matériaux nobles et une technologie LED de pointe. Conçue pour les établissements de prestige au Maroc, elle offre une interface intuitive permettant une communication fluide entre vos clients et votre personnel de service.

Chaque panneau est une pièce d'exception, fabriquée sur commande, alliant la profondeur d'un verre trempé noir à la chaleur d'une structure en bois authentique.



Caractéristique	Spécification
Dimensions	250 x 90 mm
Matériaux	Verre trempé haute résistance & Acrylique
Finition Cadre	Structure imitation bois
Surface	Verre trempé noir profond
Couleurs LED	Blanc, Bleu, Jaune, Rouge, Vert
Alimentation	110 V - 240 V CA
Fonctions Affichées	Logo Hôtel, Numéro de chambre, MUR
Fabrication	Sur commande (Personnalisable)



Signalétique LED Intelligente 5 Indications & Sonnerie

HV-40

L'INTELLIGENCE TACTILE AU SERVICE DE L'HÔTELLERIE 4.0

Hova Maroc représente le sommet de la signalétique connectée. Plus qu'un simple numéro de chambre, c'est une interface de communication en temps réel entre le client et l'hôtel. Conçue en verre trempé avec une finition bois ou métal, elle s'intègre dans la transformation digitale des établissements de prestige.



Caractéristique	Spécification
Dimensions	200 x 120
Matériaux	Verre trempé haute résistance & Acrylique
Finition Cadre	Structure imitation bois
Surface	Verre trempé noir profond
Couleurs LED	Blanc, Bleu, Jaune, Rouge, Vert
Alimentation	110 V - 240 V CA
Fonctions Affichées	Logo Hôtel, Numéro de chambre, DND,
Interaction	Sonnerie tactile intégrée
Fabrication	Sur commande (Personnalisable)



Économiseur d'Électricité à Carte RFID

WPS-02

HÔTEL SWITCH

Le WPS-02 est un commutateur hôtelier écoénergétique fonctionnant avec des cartes de proximité RFID. Il est compatible avec les cartes Mifare Classic et Mifare DESFire EV 1 à 3, à une fréquence de 13,56 MHz, ou avec les cartes Unique/Temiq 125 kHz (cette option doit être sélectionnée lors de la commande). Ce commutateur n'est pas programmable ; il fonctionne donc avec toutes les cartes de proximité d'une fréquence donnée, à l'exception des cartes de visite et des cartes d'identité. Les commutateurs hôteliers de la série WPS sont utilisés sur les réseaux basse tension (110-230 V CA). En option, ils peuvent être configurés pour une tension continue de 12 ou 24 V CC (selon la version). Le boîtier du commutateur est fabriqué en ABS, un matériau résistant aux chocs. Son design minimaliste s'intègre parfaitement à tous les intérieurs, des chambres d'hôtel modernes aux chambres classiques. Grâce à l'utilisation d'interrupteurs dans les hôtels, les économies d'électricité peuvent atteindre jusqu'à 20 % par an, et même jusqu'à 30 % dans le cas des chambres climatisées.





GAMME DE PRODUITS

FOURNITURES POUR CHAMBRE D'HÔTEL

01 Article jetable pour chambre d'amis

03 Téléphone de l'hôtel

05 Mini réfrigérateur

07 Balance de poids

09 Miroir intelligent

11 Manutentionnaire de vêtements

13 Vaisselle et tasse

02 Ensemble plateau de bienvenue

04 Article en cuir pour hôtel

06 Coffre-fort

08 Kit de repassage

10 Sèche-cheveux

12 Porte-bagages



Article jetable pour chambre d'amis



Téléphone de l'hôtel



Ensemble de plateau de bienvenue



Article en cuir pour hôtel



Mini réfrigérateur



Coffre-fort



Porte-bagages



Balance de poids



Kit de repassage



Manutentionnaire de vêtements



Miroir intelligent



Sèche-cheveux



Vaisselle et tasse



GAMME DE PRODUITS

LINGE D'HÔTEL

01 Parure de lit

03 Oreiller

05 Serviette de sol

07 Sac à linge

09 Serviette de piscine

11 Housse de chaise

02 Couette

04 Serviette

06 Peignoir

08 Sac pour sèche-cheveux

10 Nappe

12 Set de table



Parure de lit



Duvet



Oreiller



Serviette



Serviette de sol



Peignoir de bain



Sac à linge



Sac pour sèche-
cheveux



Serviette de piscine



Nappe



Housse de chaise



Set de table

A photograph of a hotel lobby. On the left, a female staff member in a white shirt and black vest stands near a luggage cart. In the center, a woman in a yellow dress sits on a green armchair. To her right, a man in a blue shirt sits on another green armchair. The background features a staircase, indoor plants, and a water dispenser.

GAMME DE PRODUITS

FOURNITURES POUR LE HALL D'HÔTEL

01 Chariot à bagages
03 Support de rallye
05 Poubelle de recyclage
07 Chariot de service
09 Porte-parapluies
11 Pot de fleurs pour le hall

02 Support d'enseigne
04 Cendrier poubelle
06 Poubelle de la chambre
08 Support d'information
10 Tribune



Chariot à bagages



Support pour enseigne



Stand de rassemblement



Poubelle cendrier



Poubelle de recyclage



Poubelle de chambre



Chariot de service



Support d'information



Porte-parapluies



Tribune



Chariot à linge d'hôtel



GAMME DE PRODUITS

MATÉRIEL DE NETTOYAGE D'HÔTEL

01 Machine à broser

03 Chariot de conciergerie

05 Chariot de ménage

07 Essoreuse

02 Aspirateur

04 Corbeille

06 Chariot à linge

08 Nettoyage en cours



Machine à broser



Aspirateur



Chariot de conciergerie



Corbeille



Chariot de ménage



Chariot à linge



Essoreuse



Nettoyage en cours



Catalogue de produits

Explorez notre élégante
collection



www.hova.ma | +212 7 09 92 86 00 | Hello@hova.ma

2026 COLLECTION